



<https://www.biodiversitylibrary.org/>

**Ioannis Antonii Scopoli ... Flora Carniolica : exhibens
plantas Carnioliae indigenas et distributas in classes,
genera, species, varietates, ordine Linnaeano**

[Vienna], Impensis Ioannis Pauli Krauss, bibliopolae Vindobonensis,
1772

<https://www.biodiversitylibrary.org/bibliography/159554>

t.2 (1772): <https://www.biodiversitylibrary.org/item/275640>

Article/Chapter Title: Carex maxima

Page(s): Page 229

Holding Institution: Smithsonian Libraries and Archives

Sponsored by: Biodiversity Heritage Library

Generated 23 May 2025 6:15 AM

<https://www.biodiversitylibrary.org/pdf4/1808031i00275640.pdf>

1166. CAREX *Maxima*.

Carex culmo triquetro; spicis longissimis: femineis pendulis, androgynis; capsulis confertis, acutis. *Fl. Carniol.* p. 218. n. 17.

Carex spicis femininis pendulis longissimis; capsulis mucronatis, ovatis. HALL. *Hist.* n. 1396.

Cyperoides spica pendula, longiore et angustiore. TOURNEF. SCHEUCHZ. *Gram.* p. 445. n. 2. MICHEL. *Gen. Plant.* p. 59.

DIAGN. *Omnium maxima. Spicae feminineae (4-5), teretes, pendulae, longitudine digiti, saepius androgynae.*

In uidis sylvestribusque locis.

Folia semiunciam quoque lata. Spica mascula terminalis, uncias duas et dimidiam longa, in medio crassior; squamis apice bifidis et ex divisura aristam brevem edacentibus. Spicarum femininearum squamae oblongae, imbricatae, subaristatae, vix lineam longae. Capsulae confertae, acuminatae, brevi et bido collo instructae.

Mineram ferri (*palustrem*). Subtus latenter indicat. SWEDENBORG *de Ferro* p. 116.

1167. CAREX *arenaria*.

Carex spica composita; spiculis androgynis, inferioribus remotioribus, foliolo longiori instructus; culmo triquetro. LINN. *Syst. Nat.* p. 616. *Sp. Plant.* p. 973. n. 4. *Fl. Suec.* 2. 835. cum illustratione.

Carex maritima, humilis; radice repente, caule triquetro; spica spadicea. MICHEL. *Gen. Plant.* p. 67. O. 3. n. 2. Tab. 33. fig. 4.

Gramen Cyperoides; spica simplici, compressa, distyca. PLUKEN. RAI. SCHEUCHZ. *Gram.* p. 490. Tab. II. fig. 6.

DIAGN. *Spica uncialis; spiculis oblongis, sessilibus, ferrugineis: infimis remotioribus.*

Habitat circa *Tergestum* in arenosis.